

# FASTRIP 5



Immersion tank for chemical paint stripping processes

# FASTRIP T5

FASTRIP T5 is our range of medium-sized paint stripping tanks with sturdy design and a capacity of 800 liters.

FASTRIP T5 meets the market's needs with its main characteristics:

- The external hermetic tank also acts as a safety basin for liquids, insulated on all sides and with an interlocked cover.
- The electric heating unit is built-in.
- Ultrasonic systems or mechanical agitators for the mixing of the chemical solution can be integrated to further improve stripping performances.
- It works with a separate, self-supporting, plug-and-play electric panel, featuring a touch-screen panel and adjustable process parameters.
- It is made of AISI-304 stainless steel to guarantee durability.
- ALIT Technologies also offers extra options such as customizable workpiece baskets and a fume extraction system.

Fastrip T5's chemical stripping process effectively removes paint from both ferrous metals and light alloys, without compromising their surfaces. ALIT Technologies' METALSTRIP chemical products range is recommended in order to get the best stripping results.

Easy to use thanks to a professional design. It can be lifted and moved safely by forklift.

With a FASTRIP T5 paint stripping tank, you will be able to recover your metal parts to be recoated in just a few hours



### **ERGONOMIC**

Professional design, with customizable workpiece baskets.



## **FLEXIBLE**

Suitable to treat different types of metal products.



### **EASY TO USE**

Plug-and-play, with adjustable cycle parameters. Easy cleaning.



### **EFFECTIVE**

The combination of its mechanical action with ALIT Technologies' chemicals ensures optimal stripping results



### SAFE

Electric circuit insulated from liquids. Safety devices in compliance with the strictest European standards.



### **STURDY**

Made with AISI 304 stainless steel.







### **UNITS CONSIST OF:**

- Tank
- Self-supporting plug and play electric panel
- · Easy-to-open cover
- · Agitation mixer

TECHNICAL FEATURES						
Tank material	AISI 304 Steel					
Tank capacity	800 liters					
Power supply	400 V – 50 HZ					
Heating power	from 8 KW					
Tank internal dimensions	1300 x 650 x 650(h) mm					

Check out our Metalstrip brochure to discover Alit technologies' full range of paint stripping products.





- Via Cavalieri D'Italia, 7
  37047 San Bonifacio (VR) Italy
- Phone +39 045 245 6638 Fax +39 045 853 8097
- info@alit-tech.com
- www.alit-tech.com

107	DI		

This version replaces all the previous ones. Information is provided based on our best knowledge and awareness at the time of printing and it reflects our experience in our laboratory and in practice. This information should only be considered as a recommendation to be adapted to any specific needs. Since the use of our products and systems is not subject to our influence, we cannot offer any type of guarantee or insurance. Revision 3 of 14/03/2022.

Images are for illustrative purposes only